

Rowlett Rutland



2016/17 CATALOGUE

**HIGH QUALITY
EQUIPMENT
FOR CATERERS**

www.rowletttrutland.co.uk

OUR STORY

70 years ago, Rowlett produced its first commercial toaster. Today, the company is a premier supplier of superior catering equipment for hotels, restaurants, bars and high volume food outlets worldwide.

Rowlett Rutland's reputation is built on the hallmarks of craftsmanship, durability and stylish design. Every machine we manufacture is assembled by hand and comes with a generous warranty. This, together with outstanding reliability, means that demand for our equipment continues to grow from new and existing sources.

In search of perfection we continuously update our products and use the latest technology and ergonomic design to enable top chefs to serve up delicious food time and time again.



THE ROWLETT RUTLAND PROMISE

The market is demanding high quality, hand made products using the finest materials and Rowlett Rutland promise that:

- ➔ Every product manufactured by us is handmade by craftsmen in the UK.
- ➔ Every product is the best value-for-money on the market today.
- ➔ Service and spare parts are available on an instant response basis and the products are fully guaranteed.
- ➔ Each unit is tested before it leaves the factory.

CONTACT US



TEL 01372 453633
01372 450855
FAX 01372 453536



info@rowletrutland.co.uk
www.rowletrutland.co.uk



Rowlett Rutland Ltd
Unit 32, Bookham Industrial
Park, Church Rd, Bookham,
Surrey, KT23 3EU

WORLDWIDE EXPORT



TEL +44 (0)1372 450855
+44 (0)1372 453633
FAX +44 (0)1372 453536



export@rowletrutland.co.uk
www.rowletrutland.co.uk



Export Department -
Rowlett Rutland, Unit 32,
Bookham Industrial Park,
Church Road,
Bookham, Surrey,
KT23 3EU, UK



CONTENTS



Express contact grills 4



Toasters:
Conveyor toasters 9



Hotdog machines 6



Esprit Collection 10



Multiple hot plates 8



Premier Collection 12



Regent Collection 14

Terms & Conditions 16

EXPRESS CONTACT GRILLS

The next generation of floating head contact grills

A floating head contact grill, tried and tested in many high volume food outlets, where 100% reliability is required 24 hours a day. Twin elements in each plate guarantees long life with the benefit of off-peak economy and an even temperature over the whole cooking surface. All cooking plates are coated with the latest high performance material.

RE200FR-PING



RE100FR-PING



Features include:

- Separate cooking surfaces coated with the latest high performance material.
- Free floating top plates adjust to any angle.
- Versatile and powerful, just plug in and use
- Mechanical timer (Models RE100-PING and RE200-PING) with ringer alarm. Can be set from 30 seconds to 6 minutes.
- Economy switch - ideal for quiet periods. Reduces electricity consumption by approximately 30% whilst maintaining the cooking temperature.
- Continuous cooking commences immediately upon re-activation of full power.
- Other features include insulated cool zones to protect electrics from heat and grease; removable splash guards and high capacity fat trays for easy cleaning.
- CE compliant.

Version with ribbed upper and lower flat plates

- RE100FR-PING, RE200FR-PING

Version with one upper ribbed, one upper flat and both lower flat plates (doubles only)

- RE200FR1-PING

Accessories included

- 1 x mid frame spacer (FRAME-100)
- 1 x wire frame (FRAME-101)
- 1 x scraper (SCRAPER-RE)
- 1 x serrated scraper (SCRAPER-102 ribbed version only)

MODEL	RE100-PING	RE200-PING
DIMENSIONS (WxHxD)	360 x 600 x 370mm	740 x 600 x 370mm
GRILLING AREA	330 x 205mm	2 x (300 x 205mm)
PLATES	Flat	Flat
KILOWATTS	2.88 kw	2x2.88 kw
KW ECONOMY	1.44 kw	2x1.44 kw
LOADING	12.5 amps	2x 12.5 amps
THERMOSTAT	50-220°C	2x 50-220°C
MECHANICAL TIMER	30 secs - 6 mins	2x timers
WEIGHT	18 kg	31 kg

A single contact grill designed specifically to withstand the vibration and rocking motion in Buffet cars and Marine environments.

RE100-277 PING



Features include:

- Single handed release for top plate locking device.
- Locking device for fat tray
- Stainless steel protective mesh cover for top plate
- Available in all flat plate version or flat lower and ribbed upper plates.
- Voltage range 180-277v
- Built to comply with EN 61373: Random & Shock Vibration Test
- Splash guards and high capacity fat trays for easy cleaning.
- CE compliant.

Optional extra:

- Heavy duty stainless base plate for secure counter mounting.

TYPICAL COOKING TIMES AT 180°C (dependant on quality and thickness)

FISH	MEAT	SNACKS
Fish fillet (plain or breaded)	Breaded turkey breasts	Omelettes (pancake style)
Trout	Chicken fillets	Pancakes
Kippers	Pork chops	Omelettes (traditional)
	Hamburgers	Garlic mushrooms
	Steak sirloin	Toasted sandwiches
	Gammon	Garlic bread and Griddled eggs
	Veal escalopes	Bacon
	Kebabs	Pizza



HOT DOG MACHINES

Our popular, simple to use range of hotdog machines

The hotdogs are held in a vertically heated glass container with a stainless steel partitioned insert for maximum visual display. Baguettes or rolls are heated on spikes (240mm high x 25mm diameter) or wedges. With a squirt of sauce or mustard the hotdog is ready to serve.

HS4



HDST



HR2



Features include:

- Heat-resistant 7.5 litre glass container with a capacity of approx. 40 hotdogs
- Thermostatically controlled
- Non-slip feet
- Fully insulated
- Mainly stainless steel construction
- 240 x 25mm, heated spikes or wedges 230 x 50mm
- Double pole mains switch
- Stainless steel water container, 4 section divider and lid

MODEL	HS4 4 SPIKES	HDST STEAMER	HR2 2WEDGES
DIMENSIONS (WxHxD)	230 x 330 x 400mm	230 x 330 x 400mm	230 x 240 x 210mm
WATTAGE	260w	260w	260w



HD400



HDR200



MODEL	HD400 4 SPIKES + STEAMER	HDR200 2 WEDGES + STEAMER
DIMENSIONS (WxHxD)	400 x 330 x 400mm	400 x 330 x 400mm
WATTAGE	750w	750w
OPTIONAL EXTRAS	Stainless steel tubes for individual hotdogs	

Large-scale users are catered for with 12.5 litre capacity wet well Bain-Marie/ Hotdog machine. The machine has a partitioned container and is thermostatically controlled to maximum of 90 deg°C to reduce the risk of boiling dry. If used in conjunction with the Spiked or Wedge Roll Warmer, it can cope with even the highest demand.

R100



Features include:

- Stainless steel construction
- Thermostatically controlled (max. 90°C) to prevent boiling dry
- Ideal for hotdogs, soups, soft foods, rolls, chocolate enrobing etc.
- Double pole main switch
- Stainless steel water container with partition
- CE compliant

MODEL	R100
CAPACITY	12.5 Litre
DIMENSIONS (WxHxD)	353 x 410 x 270mm
WATTAGE	2 kw
INCLUDED	1/2 Size perforated drainers, 2 per machine ref DRAINER-102



MULTIPLE HOT PLATES

Popular machines for keeping food hot

Reliable machines manufactured by us for nearly 40 years. 6 and 10 plate models, both thermostatically controlled. The hotplates themselves are manufactured from polished aluminium alloy. The plates have a high heat accumulating power, capable of retaining heat for up to 45 minutes without the need to reheat- quite sufficient for one meal.

R210



R206



Features include:

- Simple to use
- 6 and 10 plate models available
- Reliable machines which have been sold for nearly 40 years
- Thermostatically controlled
- Polished aluminium alloy hot plates (272mm x 150mm) which heat up quickly
- The unit is ready to use 35 minutes from cold - quite sufficient for one meal
- 13 amp connection
- When replaced in the heating cabinet, the plates are ready to use again in about 15 minutes
- CE compliant

MODEL	R206	R210
CONTROLS	1 x thermostat 1 x on/off switch	1 x thermostat 1 x on/off switch
NUMBER OF PLATES	6	10
PLATE SIZE	272mm x 150mm	272mm x 150mm
HEATING UPTIME	35 mins	35 mins
REHEAT TIME	15 mins	15 mins
DIMENSIONS (WxHxD) (width incs plates)	380 x 330 x 225mm	380 x 460 x 225mm
ELECTRICAL LOADING	0.8 kw	1.3 kw
ELECTRICAL CONNECTION	3.5 amps	5.7 amps



CONVEYOR TOASTERS

One of the most advanced conveyor toasting systems available in the market today

Our conveyor toasters 1400RT and 1500RT feature off-peak power switches (2/3rd power), with the brownness of toast controlled by the speed of the conveyor belt.

The range now offers you the choice of a 1300RT machine producing up to 400 slices per hour, the 1400RT machine with the output of up to 800 slices per hour and a 1500RT version with an option of up to 1200 slices per hour. All machines feature an internal cooling fan, electronic motor control, independent element control and a low friction toast slide that can be used in either 'front only' or 'pass through' operation, and are capable of toasting bread, buns, tea cakes, muffins etc. continuously.

1300RT



1400RT



1500RT



Features include:

- Overheat warning lamp
- Element selector switch with bun mode
- Three phase versions for 1400RT & 1500RT models
- Metal heating elements
- CE compliant

MODEL	1300RT	1400RT	1500RT
POWER RATING	3 kw	5 kw	7 kw
OUTPUT	up to 400	up to 800	up to 1200
ELEMENTS	2 x 1.5 kw	2 x 2.5 kw	2 x 3.5 kw
DIMENSIONS (WxHxD)	320 x 620 x 480mm	490 x 620 x 480mm	580 x 620 x 480mm



ESPRIT COLLECTION

The economically designed Esprit toaster has perfect symmetry and is efficient and reliable

A truly stylish and sophisticated toaster selection. The Esprit Collection offers a touch of vibrancy. Handmade by skilled craftsmen in the UK, the Esprit collection proclaims its quality. Each toaster is individually tested and certified before leaving the factory. Built to last, with all parts, including elements, easily replaceable. The Esprit Collection represents a cost effective investment compared to lower-priced alternatives.



ESPRIT BREAD

2, 4 & 6 slot (19mm) models. They feature energy efficient slot selection, timer, and neon indicator lamp, providing all the control necessary for great results.

ESPRIT BREAD (19mm slots)			
MODEL	2ATS-171E	4ATS-171E	6ATS-171E
SLOTS	2	4	6
DIMENSIONS (WxHxD)	270 x 220 x 210mm	360 x 220 x 210mm	455 x 220 x 210mm
NETWEIGHT	3.8 kg	5.0 kg	7.6 kg
WATTAGE	1.3 kw	2.3 kw	3.0 kw



ESPRITWIDE SLOT

2 & 4 Wide slots (29mm). It features efficient slot selection with bun mode (single sided toasting), timer and neon indicator lamp

ESPRITWIDE SLOT BREAD TOASTERS (29mm slots)		
MODEL	2WTS-171E	4WTS-171E
SLOTS	2 WIDE SLOT Bread toaster with bun mode	4 WIDE SLOT Bread toaster with bun mode
DIMENSIONS (WxHxD)	317 x 220 x 210mm	370 x 220 x 210mm
NETWEIGHT	3.9 kg	5.0 kg
WATTAGE	1.3 kw	2.3 kw



ESPRIT BRUNCH

The ultimate range of Esprit Toasters, with 3 conventional slots (19mm), 2 x 29mm slots for 1 thick bread (1 slot) and 1 sandwich or 2 sandwiches. The 3 slot version has 2 bread slot and 1 sandwich slot (29mm) on this version all 3 slots can be used at the same time.

ESPRIT BRUNCH			
MODEL	3BTS-171E	4DBS-171E	4TTS-171E
SLOTS	3 SLOT SINGLE 2 thin or 1 sandwich or all three slots	4 SLOT DOUBLE 2 thin or 2 sandwich	4 SLOT FAMILY 2 thin + 1 thick, or 1 sandwich or 1 bun
DIMENSIONS (WxHxD)	317 x 220 x 210 mm	370 x 220 x 210mm	370 x 220 x 210mm
NETWEIGHT	4.6 kg	5.0 kg	5.0 kg
WATTAGE	1.7 kw	1.1 kw	1.5 kw

HIGH TEMPERATURE NYLON COLOURED ENDS

Features include:

- Bread, wide, thick 'n thin, brunch and sandwich toasters
- Energy efficient, rotary slot selector
- Variable timer with 'toast ready' ringer
- Neon indicator lamp
- Handmade in the UK by skilled craftsmen
- Stainless steel body
- Slot width standard models 19mm and 29mm for wide slot and sandwich slots
- Retro design end-panels
- All parts guaranteed.



ESPRIT BREAKFAST

The Esprit Collection Breakfast toaster is designed for self-service areas, giving the flexibility for two people to operate each half independently and at the same time. Each two-wide slot (29mm) section has a ringer timer, neon indicator and toast ejector handle.

ESPRIT BREAKFAST

MODEL	4WBKS-171E
SLOTS	2x2 WIDE SLOT
DIMENSIONS (WxHxD)	455 x 220 x 210mm
NETWEIGHT	5.5 kg
WATTAGE	2.6 kw



ESPRIT THICK 'N' THIN

Features two ordinary slots (19mm) and one or two wider slots (29mm), and bun mode. This toaster is controlled by a variable timer and a slot selector switch, wider slots, or alternatively, all slots simultaneously. This also has a bun mode, single-sided toasting.

ESPRIT THICK 'N' THIN

Bread toasters with bun mode (in thick slots only)

	3TTS-171E	4TTS-171E
SLOTS	3 SLOT, 2 THIN+1 THICK	4 SLOT, 2 THIN+ 2 THICK
DIMENSIONS (WxHxD)	280 x 220 x 210mm	388 x 220 x 210mm
NETWEIGHT	4.6 kg	5.0 kg
WATTAGE	1.8 kw	2.3 kw



ESPRIT SANDWICH

Esprit Collection of sandwich toasters are available in 2 and 4 slot (29mm) size; each with integral plated sandwich holders and heat resistant handles. The toasters have a single timer switch with a second rotary switch to select the number of sandwiches to be toasted. An additional feature allows single sided toasting for buns etc.

ESPRIT SANDWICH

	2SANDS-171E	4SANDS-171
SLOTS	2 SANDWICHES	4 SANDWICHES
DIMENSIONS (WxHxD)	317 x 220 x 210mm	370 x 220 x 210mm
NETWEIGHT	4.0 kg	5.0 kg
WATTAGE	1.0 kw	1.73 kw



PREMIER COLLECTION

An elegant collection of handmade toasters in polished stainless steel

Engineered for reliability, the Premier Collection is Rowlett's flagship toaster range, enjoying huge success in pubs, clubs, restaurants, leisure outlets, hotels, government offices, local authorities, institutions and caring establishments. Select from a wide choice of Bread and Sandwich toasters available with variable settings for toasting perfection.



PREMIER BREAD

Premier Collection of toasters come in 2, 4, 6 & 8 slot (19mm) models. They feature energy efficient slot selection, timer, and neon indicator lamp, providing all the control necessary for great results.

PREMIER BREAD

MODEL	2ATS-151	4ATS-151
SLOTS	2 SLOT	4 SLOT
DIMENSIONS (WxHxD)	280 x 210 x 225mm	370 x 210 x 225mm
NETWEIGHT	5.0 kg	6.0 kg
WATTAGE	1.3 kw	2.3 kw

MODEL	6ATS-151	8ATS-151
SLOTS	6 SLOT	8 SLOT
DIMENSIONS (WxHxD)	460 x 210 x 225mm	560 x 210 x 225mm
NETWEIGHT	7.6 kg	9.6 kg
WATTAGE	3.0 kw	4.3 kw (hard-wired)



PREMIERWIDE SLOT

2Wide slots (29mm). It features efficient slot selection with bun mode (single sided toasting), timer and neon indicator lamp.

PREMIERWIDE SLOT

MODEL	2WTS-151
SLOTS	2 WIDE SLOT bread toaster with bun mode
DIMENSIONS (WxHxD)	280 x 210 x 225mm
NETWEIGHT	5.0 kg
WATTAGE	2.6 kw

Features include:

- Bread (19mm), Wide (29mm) slot, Thick'n'Thin and Brunch toasters
- Energy efficient rotary slot selector switch
- Single sided toasting for buns, where indicated
- Variable timer with 'toast ready' ringer
- Handmade in the UK by skilled crafts people
- Every toaster individually tested & certified
- All parts guaranteed
- Stainless steel body



PREMIER BRUNCH

The ultimate Premier toasters with a two conventional slots (19mm), one wide slot (29mm) and a sandwich slot (29mm). The rotary switch allows thick or thin bread, or alternatively all bread slots simultaneously, sandwich, buns (single sided), waffles and many other unusual items to be toasted.

PREMIER BRUNCH			
MODEL	3BTS-151	4DBS-151	4TTSS-151
SLOTS	3 SLOT SINGLE BRUNCH 2 thin or 1 sandwich or all 3 slots	4 SLOT DOUBLE BRUNCH 2 thin or 2 sandwich	4 SLOT FAMILY BRUNCH thin +1 thick or 1 sandwich or 1 bun
DIMENSIONS (WxHxD)	325 x 210 x 225mm	370 x 210 x 225mm	370 x 210 x 225mm
NETWEIGHT	5.5 kg	6.4 kg	6.4 kg
WATTAGE	1.7 kw	1.1 kw	1.5 kw



PREMIER THICK 'N' THIN

Collection of Thick 'n' Thin toasters - the three in one multi-use - feature two ordinary slots (19mm) and two wider slots (29mm) plus bun mode single-sided. This toaster is controlled by a variable timer and a slot selector switch, which controls either the conventional or wider slots, or alternatively, all slots simultaneously.

PREMIER THICK 'N' THIN	
MODEL	4TTS-151
SLOTS	4 SLOT THIN & THICK 2 thin + 2 thick + bun mode in thick slots only
DIMENSIONS (WxHxD)	370 x 210 x 225mm
NETWEIGHT	6.4 kg
WATTAGE	2.3 kw



REGENT COLLECTION

A robust collection of handmade toasters with a stainless steel top and white body. Coloured versions available (4 slots and smaller except sandwich toasters).

A robust collection of handmade toasters with a stainless steel top and white body. The Regent Collection is Rowlett's long-established toaster range. Select from a wide choice of bread, brunch and sandwich toasters available with variable settings for toasting perfection. Remove crumbs easily with the convenient pull-out crumb tray. Regent Collection toasters switch off at the end of each cycle, but the toast or sandwich remains warm in the machine until removed.



REGENT BREAD

Regent Collection bread toasters come in 4, 6, 8 & 12 slot models (19mm). Controlled by a timer, neon indicator lamp, and rotary slice selector, providing all the control necessary for results.

REGENT BREAD (19mm slots)					
MODEL	2ATW-131	4ATW-131	6ATW-131	8ATW-100	12ATW-10
SLOTS	2 SLOT	4 SLOT	6 SLOT	8 SLOT	12 SLOT
DIMENSIONS (WxHxD)	269 x 210 x 225mm	360 x 210 x 225mm	440 x 210 x 225mm	560 x 210 x 225mm	740 x 210 x 225mm
NETWEIGHT	3.8 kg	6.0 kg	7.6 kg	9.6 kg	11.6 kg
WATTAGE	1.3 kw	2.3 kw	3.0 kw	4.3 kw (20 amps hardwired)	6.3 kw (30 amps hardwired)



REGENT WIDE SLOT

2 Wide slots (29mm). It features efficient slot selection with bun mode (single sided toasting), timer and neon indicator lamp



REGENT THICK 'N' THIN

The three in one multi-use - feature two ordinary slots (19mm) and two wider slots (29mm) plus bun mode single-sided. This toaster is controlled by a variable timer and a slot selector switch, which controls either the conventional or wider slots, or alternatively, all slots simultaneously.

REGENT WIDE SLOT (29mm slots)	
MODEL	2WTW-131
SLOTS	2 WIDE SLOT Bread toaster with bun mode
DIMENSIONS (WxHxD)	269 x 210 x 225mm
NETWEIGHT	4.1 kg
WATTAGE	1.3 kw

REGENT THICK 'N' THIN	
MODEL	4TTW-131E
SLOTS	4 SLOT, 2 THIN + 2 THICK Bread toaster with bun mode in thick slots only
DIMENSIONS (WxHxD)	455 x 220 x 210mm
NETWEIGHT	6.0 kg
WATTAGE	2.3 kw

COLOURS AVAILABLE (4 slots and smaller except sandwich toasters)

Features include:

- Variable timer with 'Toast Ready' ringer
- Energy efficient rotary slot selector switch
- Neon indicator lamp
- All stainless steel finish
- Every toaster individually tested and certified before leaving the factory
- All parts guaranteed.



REGENT DOUBLE BRUNCH AND FAMILY BRUNCH

Double brunch or combination toasters feature two conventional bread slots (19mm) or two special slots (29mm) with holders for toasting sandwiches. This toaster is controlled by a variable timer and slot selector switch for toasting single slices of bread, sandwiches or buns.

The ultimate family brunch toaster with two conventional slots (19mm), one wide slot (29mm) and a sandwich slot (29mm). The rotary switch allows thick or thin bread, or alternatively all bread slots simultaneously, sandwich, buns (single sided), waffles and many other unusual items to be toasted.

REGENT DOUBLE BRUNCH AND FAMILY BRUNCH

MODEL	4DBW-131	4TTSW-131
SLOTS	4 SLOT DOUBLE 2 thin or 2 sandwich	4 SLOT FAMILY 2 thin + 1 thick, or 1 sandwich or 1 bun
DIMENSIONS (WxHxD)	360 x 210 x 225mm	360 x 210 x 225mm
NETWEIGHT	6.0 kg	6.0 kg
WATTAGE	1.1 kw	1.5 kw



REGENT SANDWICH

Regent collection sandwich toasters are designed to provide optimum energy efficiency by featuring separate timers for

each slot (35mm). Available in 2 and 4 slot sizes, each with integral plated sandwich holders and heat resistant handles.

REGENT SANDWICH

MODEL	2SANDS-131	4SANDS-131
SLOTS	2 SANDWICH 2 independent timers	4 SANDWICH 4 independent timers
DIMENSIONS (WxHxD)	360 x 210 x 225mm	560 x 210 x 225mm
NETWEIGHT	8.8 kg	14.50 kg
WATTAGE	1.24 kw	2.54 kw



CONTACT US



TEL 01372 453633
01372 450855
FAX 01372 453536



info@rowlett Rutland.co.uk
www.rowlett Rutland.co.uk



Rowlett Rutland Ltd
Unit 32, Bookham Industrial
Park, Church Rd, Bookham,
Surrey, KT23 3EU

WORLDWIDE EXPORT



TEL +44 (0)1372 450855
+44 (0)1372 453633
FAX +44 (0)1372 453536



export@rowlett Rutland.co.uk
www.rowlett Rutland.co.uk



Export Department -
Rowlett Rutland, Unit 32,
Bookham Industrial Park,
Church Road,
Bookham, Surrey,
KT23 3EU, UK

TERMS & CONDITIONS

1. GENERAL

The property in and title to the goods shall remain in the Company until payment has been made in full. In the event of the Buyer selling the goods before that condition has been met, the Company's beneficial interests shall attach to the proceeds of such re-sale, or to any claim for such proceeds. All quotations made and order received are subject to these Conditions of Sale and no alterations shall take effect unless confirmed by the Company in writing. No term condition or warranty recorded herein shall be binding to the Company, except where such is necessarily imported into the contract under any Statute or at Common Law.

2. PRICES

- i) Errors and omissions are subject to corrections.
- ii) Prices invoiced and payable will be those ruling at the date of despatch.
- iii) Prices for appliances are carriage paid UK mainland. An additional charge will be made for delivery of appliances outside the mainland of Great Britain - Highlands of Scotland, Northern Ireland, Republic of Ireland and the Channel Islands.
- iv) Prices for spare parts exclude carriage and packing.
- v) Export prices are Ex-Works.
- vi) All prices are exclusive of VAT which will be charged at the appropriate rate where applicable.

3. RETENTION OF TITLE

The risk in the goods shall pass from the seller to the buyer upon delivery of such goods to the buyer. However, notwithstanding delivery and the passing of risk in the goods, title and property in the goods, including full legal and beneficial ownership, shall not pass to the buyer until the seller has received in cash or cleared funds payment in full for all goods delivered to the buyer under this and all other contracts between the seller and the buyer for which payment of the full price of the goods thereunder has not been paid.

Payment of the full price of the goods shall include the amount of any interest or other sum payable under the terms of this and all other contracts between the seller and the buyer under which the goods were delivered.

3. PAYMENT

- i) Payment shall be made in full no later than 30 days from the date of invoice on approved accounts.
- ii) Where payment is not received by due date, the Company reserves the right to suspend or any further deliveries to the Buyer, against any contract, or to terminate this and any other contract.
- iii) In the case of late payment the Company reserves the right to charge an administration charge of £25 per month and interest on the amount overdue calculated at 10% over the average LIBOR for the default period.

4. CANCELLATION

In respect of goods ordered from the company, then cancelled and returned as not required:
i) Standard terms. A cancellation charge of 15% of net invoice value will be made to cover administration costs.
ii) Special items. Once manufacture has commenced cancellation of items made to a Buyer's specific requirements will involve, in addition to the cancellation charge, all manufacturing costs incurred up to the time of cancellation.

5. DAMAGE OR LOSS IN TRANSIT

- i) Goods should be examined on arrival. Any damage or loss must be entered on the Carriers note, or the Carrier's note should be signed "unexamined" and packing materials must be retained for inspection by the Carrier.
- ii) Damaged goods will not be replaced or repaired if they have been used.
- iii) In the event of damage, goods or parts thereof will be replaced free of charge providing that:
 - a) The Company are notified in writing of such damage within 3 days of receipt of goods.
 - b) The goods and packing are retained for collection by the Company excepting spare parts, which are returned to the Company.
 - c) In the event of non-arrival or shortage of goods, no claim will be entertained unless notification is given to the Company within 14 days from the date of the Company's invoice.

6. PROPERTY

i) The property in and title to the goods shall remain in the Company until payment has been made in full. In the event of the Buyer re-selling the goods before that condition has been

met, the Company's beneficial interests shall attach to the proceeds of such re-sale or to any claim for such proceeds, without prejudice to any further claim the Company may have against the Buyer in respect thereof.

ii) Notwithstanding the foregoing, the goods shall be at the Buyer's risk from delivery to Him or to any Carrier or Agent acting on his behalf.

7. VALIDITY

Unless otherwise stated any quotation issued by the Company will remain open for acceptance within 30 days, and shall then lapse.

8. DELIVERY

Where a time for delivery has been agreed but delivery is delayed for any reason beyond the control of the Company, a reasonable extension of time shall be allowed.

9. DESCRIPTION

Illustrations, descriptions and dimensions in the Company's catalogues or documents although correct in general detail, do not constitute a sale by description. The Company's policy is one of continuing improvement and it reserves to vary or modify the design specification or finish without notice, unless written undertaking has been given to the contrary.

10. REPLACEMENT

Where the goods supplied by the Company are of its design and manufacture, the Company will make good any defects in those goods subject to the following conditions:

- i) The Buyer shall notify the Company in writing at its address 32 Bookham Industrial Park, Bookham, Surrey as soon as practicable after the defect has become known.
- ii) The Company shall be provided with an adequate opportunity to examine the goods.
- iii) The Company shall not be obliged to replace any goods or make any allowance or other arrangement if, in the reasonable opinion of the Company, the defect has arisen from accident, misuse, neglect, incorrect installation, lack of reasonable maintenance, or any other cause beyond the reasonable control of the Company.
- iv) Where the defect is reasonably attributable to the fault of the Company, they shall replace or repair the defective goods, but shall not be liable to the Buyer for any costs of removal of the defective goods or of installation of replacement goods, nor of any consequential loss or damage to the Buyer arising therefrom.
- v) The Company's liability shall be limited to the free repair or replacement of appliances and components manufactured by the Company within a period of 12 months from the date of sale to the ultimate Buyer.
- vi) The Company shall not be under any duty arising from this provision if the buyer is in breach of any provision of the contract with the Company until the Buyer has remedied the breach.
- vii) Any goods or parts replaced shall become the property of the Company.

11. GUARANTEE

All parts are guaranteed for 12 months parts only against manufacturing defect unless otherwise stated.

12. FORCE MAJEURE

In the event of war, invasion, act of foreign enemy, hostility (whether the war has been declared or not), civil war, rebellion, revolution, insurrection of military or usurped power. The Company shall be relieved of liabilities incurred under the contract wherever and to the extent to which fulfilment of such obligations is prevented, frustrated or impeded as a consequence of any such event by statute, rules or regulations, order or requisitions issued by any Government Department, Council or duly constituted Authority or from strikes, lock outs, breakdown of plant or any other causes (whether or not of like nature) beyond the Company's control.

13. LAW AND ARBITRATION

- i) All contracts entered into by the company shall be subject to English Law and exclusive jurisdiction of the English Courts.
- ii) In the event of any term of condition herein bring of becoming void or unenforceable for whatever reason, then contract shall be construed as though the same were excluded therefrom, and the remaining provisions hereof shall continue in full force and effect.